Work Order ID 94009

November-29-12 11:03:44 AM

ASAP

94009

Item ID: D3651-5

Revision ID:

Item Name: Top Flange

Accept *N900040100*

Setup Start *NS1* Stop *NS2*

Start Date: 29/11/2012 **Start Qty:** 5.00 *5*

Required Date: 13/12/2012 **Req'd Qty:** 5.00 *5*

Cust Item ID:

Customer:

Reference:

Run Start *NR1* Stop *NR2*

Approvals: **Process Plan:** MLJ **Date:** 12-11-29 **Tooling:** **Date:**

QC: **Date:** **SPC (Y/N):** **Date:**

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp

Draw Nbr	Revision Nbr
D3651	Rev B

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
100 *100* Waterjet FLOW CNC Waterjet 304.018"	FLOW WATER JET **Memo** 1-Cut as per Dwg D3651 Dwg Rev: B Prog Rev: B 2-Deburr if necessary	0.00 / 0.00				5	0		JM 12-11-29
110 *110* QC Quality Control	QC2- Inspect parts off machine FAI/FAIB **Memo**	0.00 / 0.00				5	0		JM 12-11-29
120 *120* QC Quality Control	QC8- Inspect parts - second check **Memo**	0.00 / 0.00 DAS 15 9-89 12 11 29				5			

DQA: ________ Date: ____________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ____________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ____________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ____________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ____________
☐ Ripples in Bend	☐ Drill Holes	☐ Offset		
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration		
☐ Turning Sequence	☐ Finish	☐ Out of Sequence		
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

Work Order ID 94009 *94009*

November-29-12 11:03:44 AM

Item ID: D3651-5 **Accept** *N900040100* **Setup Start** *NS1* **Stop** *NS2*

Revision ID:

Item Name: Top Flange

Start Date: 29/11/2012 **Start Qty:** 5.00 *5*

Required Date: 13/12/2012 **Req'd Qty:** 5.00 *5*

Cust Item ID:

Customer:

Reference:

Run Start *NR1* **Stop** *NR2*

Approvals: **Process Plan:** **Date:** **Tooling:** **Date:**

QC: **Date:** **SPC (Y/N):** **Date:**

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160* Brake NC Brake NC	Form as per dwg NC BRAKE **Memo**	0.00 0.00				5			SB 12/12/04
170 *170* QC Quality Control	QC5- Inspect part completeness to step on W/O **Memo**	0.00 0.00 DAS 15 9-89 12.12 04				5			
180 *180* Packaging Packaging	Identify as per dwg & Stock Location: W/O 94269 GA **Memo**	0.00 0.00				5	EL 12-12-4		

DQA: ________ Date: ____________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ____________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ____________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ____________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ____________
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	____________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	____________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	____________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

Work Order ID 94009

November-29-12 11:03:44 AM

94009

Item ID: D3651-5

Accept *N900040100*

Setup **Start** *NS1*

Stop *NS2*

Revision ID:

Item Name: Top Flange

Start Date: 29/11/2012 **Start Qty:** 5.00 *5*

Required Date: 13/12/2012 **Req'd Qty:** 5.00 *5*

Cust Item ID:

Customer:

Reference:

Run **Start** *NR1*

Stop *NR2*

Approvals: **Process Plan:** **Date:** **Tooling:** **Date:**

QC: **Date:** **SPC (Y/N):** **Date:**

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	QC21- Final Inspection - Work Order Release	0.00						12/12/6	
190									
QC	Memo	0.00						MCJ 12-12-05	
Quality Control									

DQA: ________ Date: ______________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ______	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ______	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ______	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ______
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	______	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	______	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	______	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

Picklist Print

November-29-12 11:03:48 AM

Work Order ID: 94009 *94009*

Parent Item: D3651-5 *D3651-5*

Parent Item Name: Top Flange

Start Date: 29/11/2012 **Required Date:** 13/12/2012

Start Qty: 5.00 **Required Qty:** 5.00

Comments: IPP RevA 10.11.04 as per revB DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S26GA *M304S26GA* 304/316 0.018 SHEET		Purchased	No			100	sf	416.6700	0.3 **	~~1.578947~~ 1.6			Jn 17-12-29

Location	Loc Qty	Loc Code	
MAT020	416.67		
117798	35.06		
122753	125.61		122753
123135	256		

DQA: ________ Date: ______________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ______	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ______	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ______	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ______
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	______	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	______	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	______	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

DART AEROSPACE LTD	Work Order:	94009
Description: Top Flange	Part Number:	D3651-5
Inspection Dwg: D3651 Rev: B		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

[X] First Article [ ] Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.098	+0.004/-0.001	0.100"	–		✓	Jknox
Ø0.129	+0.005/-0.001	0.130"	–		✓	
0.26	+/-0.030	0.257"	–		✓	
0.26	+/-0.030	0.265"	–		✓	
2.21	+/-0.030	2.208"	–		✓	
1.66	+/-0.030	1.653"	–		✓	
3.16	+/-0.030	3.151"	–		✓	
0.36	+/-0.030	0.357"	–		✓	
0.33	+/-0.030	0.327"	–		✓	
0.500	+/-0.010	0.499"	–		✓	
0.33	+/-0.030	0.333"	–		✓	
0.500	+/-0.010	0.502"	–		✓	
0.450	+/-0.010	0.448"	–		✓	
0.19	+/-0.030	~~0.24~~ 0.19"	–		✓	
0.98	+/-0.030	0.983"	–		✓	
0.48	+/-0.030	0.489"	–		✓	
0.25	+/-0.030	0.255"	–		✓	

Measured by:	Jim	Audited by:	DAS 15	Prototype Approval:	N/A
Date:	12-11-29	Date:	12 11 29	Date:	N/A

Rev	Date	Change		Revised by	Approved
A	08.10.07	New Issue	P/O D3651-043	KJ/DD	

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

	DISPOSITION	AGAINST DEPARTMENT/PROCESS
Work Order: ____________	Rework ☐	Skid-tube ☐ Crosstube ☐ Water Jet ☐ Engineering ☐
Part No. ____________	Scrap ☐	Machining ☐ Small Fab ☐ Prod. Eng. Coor. ☐ Quality ☐
NCR No. ____________	Use-as-is ☐	Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐
	Work Order Update ☐	Large Fab ☐ Composite ☐ Supplier ☐ ☐

Root Cause		Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data	☐									
Equip/Tooling	☐									
Operator	☐									
Material	☐									
Setup	☐									
Other	☐									
Process	☐									
Supplier	☐									
Training	☐									
Unapproved	☐									

FAULT CATEGORY


Landing Gear


- ☐ Bending
- ☐ Centre Not Concentric to O/S
- ☐ Cracks
- ☐ Crushed/Crimped
- ☐ Cuffs
- ☐ Heat Treat
- ☐ Inspection Strip in Tube
- ☐ Ripples in Bend
- ☐ Torque Waves in Extrusion
- ☐ Turning Sequence
- ☐ Wave/Twist in Tube

General

- ☐ Bend
- ☐ BOM/Route
- ☐ Broken/Damaged
- ☐ Burrs
- ☐ Contamination
- ☐ Countersink
- ☐ Cut Too Short
- ☐ Drill Holes
- ☐ Drawing
- ☐ Finish
- ☐ Folio
- ☐ Grain
- ☐ Hardware
- ☐ Inspection Incomplete
- ☐ Instructions Incomplete/Unclear
- ☐ Maintenance
- ☐ Mislabeled
- ☐ Misread
- ☐ Offset
- ☐ Out of Calibration
- ☐ Out of Sequence
- ☐ Outside Dimensions
- ☐ Ovalized
- ☐ Over/Under tolerance
- ☐ Part Incorrect
- ☐ Part Lost/Missing
- ☐ Part Moved
- ☐ Positioned Wrong
- ☐ Power Loss/Surge
- ☐ Pressure/Forced
- ☐ Temperature/Cure
- ☐ Weld
- ☐ Wrong Stock Pulled
- ☐ Other ____________

SHOP
UNCONTR
NO. 94009 MLS
12-11-25





PART LIST

QTY -041	PART NUMBER	DESCRIPTION
X	**D3651-041**	**AFT BASE ASSEMBLY**
1	D3651-043	FLANGE WELDMENT
1	D3651-1	GASKET
1	D3651-9	INSIDE DOUBLER
1	D3651-11	GASKET
1	D3651-13	OUTSIDE DOUBLER
58	CR3523-4-02 or NAS9307M-4-02	RIVET

RELEASED 08.03.27

D3651-041 AFT BASE ASSEMBLY

D3651-041 NOTES:
1) SEAL ALL MATING SURFACES AND GAPS USING PROSEAL 700 FIRE WALL SEALANT
2) INSTALL D3651-1 USING 3M HIGH PERFORMANCE CONTACT ADHESIVE 1357
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 1.6 lbs

REV.	DESCRIPTION	BY	DATE
B	SHEET 1: GENERAL UPDATE SHEET 2: 8.74 WAS 8.50; 0.88 WAS 0.98; REMOVED ANGLE SHEETS 4, 5, 6, 8 & 9: GENERAL DIMENSIONAL UPDATE SHEET 7: 5.514 WAS 5.504	RF	08.01.07
A	NEW ISSUE	RF	07.11.07

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 1 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY — SCALE 1:4
DE APPR.		
DATE	08.01.07	

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: ________ Date: ______________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


	DISPOSITION	AGAINST DEPARTMENT/PROCESS			
Work Order: ______________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Part No. ______________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
NCR No. ______________	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									


FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ______
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	______	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	______	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	______	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

94009







D3651-043 FLANGE WELDMENT

QTY -043	PART NUMBER	DESCRIPTION
X	**D3651-043**	**FLANGE WELDMENT**
1	D3651-3	BASE
1	D3651-5	TOP FLANGE
1	D3651-7	BOTTOM FLANGE
16	MS20427M3-3	RIVET
8	MS21060-3K	NUTPLATE
57	CR3523-4-02 or NA9307M-4-02	RIVET

RELEASED 08.03.27

D3651-043 NOTES:
1) WELD PER QSI 004
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.76 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 2 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY — SCALE 1:3
DE APPR.		
DATE	08.01.07	

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: ________ Date: ____________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


	DISPOSITION	AGAINST DEPARTMENT/PROCESS			
Work Order: ______________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Part No. ______________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
NCR No. ______________	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ______
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	____________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	____________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	____________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

94009





D3651-1 GASKET

NOTES:
1) MATERIAL: THERMO-CHEM P/N G-89, (REF. 0.060 THICK)
POSSIBLE SUPPLIER: A.R. THOMSON GROUP
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) PART IS SYMMETRIC ABOUT ℄
8) WEIGHT: 0.09 lbs

08.03.27

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 3 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY — SCALE 1:2
DE APPR.		
DATE	08.01.07	

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: ________ Date: ____________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


Work Order: ____________	DISPOSITION	AGAINST DEPARTMENT/PROCESS			
Part No. ____________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ____________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY


Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ____
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	____________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	____________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	____________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

94009






D3651-3 BASE
(MAKE FROM D3651-3F FLAT PATTERN)



D3651-3F FLAT PATTERN



DETAIL A

08-03-27

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.27 lbs
8) BEND TO 55° WHERE INDICATED

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 4 OF 9
MFG. APPR.		
APPROVED		TITLE: AFT BASE ASSEMBLY — SCALE 1:2
DE APPR.		
DATE	08.01.07	

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: ________ Date: ______________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: Date:


Work Order: ____________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ____________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ____________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									


FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ______
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	______	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	______	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	______	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		





D3651-5F FLAT PATTERN (B)



D3651-5 TOP FLANGE BEND DETAIL (B)

(MAKE FROM D3651-5F FLAT PATTERN)

08-03-27 MP

NOTES:

1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019
(REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.02 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 5 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY — SCALE 1:3
DE APPR.		
DATE	08.01.07	

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: ________ Date: ____________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


Work Order: ____________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ____________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ____________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									


FAULT CATEGORY


Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ____
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	____________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	____________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	____________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		


94009



D3651-7F FLAT PATTERN B







D3651-7 BOTTOM FLANGE BEND DETAIL B
(MAKE FROM D3651-7F FLAT PATTERN)

08.03.27

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.02 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 6 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY — SCALE 1:3
DE APPR.		
DATE	08.01.07	

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD

DQA: ________ Date: ______________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: Date:


Work Order: ________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause		Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data	☐									
Equip/Tooling	☐									
Operator	☐									
Material	☐									
Setup	☐									
Other	☐									
Process	☐									
Supplier	☐									
Training	☐									
Unapproved	☐									

FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ________
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		





D3651-9 INSIDE DOUBLER

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019
(REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.07 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 7 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY — SCALE 1:2
DE APPR.		
DATE	08.01.07	

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: ________ Date: ____________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


Work Order:	DISPOSITION	AGAINST DEPARTMENT/PROCESS			
Part No.	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No.	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ____________
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	____________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	____________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	____________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

94009



08.03.27

NOTES:
1) MATERIAL: THERMO-CHEM P/N G-89, (REF. 0.060 THICK)
POSSIBLE SUPPLIER: A.R. THOMSON GROUP
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.2 lb

D3651-11 GASKET B

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 REV. B SHEET 8 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY SCALE 1:2
DE APPR.		
DATE	08.01.07	

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: Date:

	DISPOSITION	AGAINST DEPARTMENT/PROCESS			
Work Order: ________________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Part No. ________________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
NCR No. ________________	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ________
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		



D3651-13 OUTSIDE DOUBLER (B)

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.10 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 REV. B SHEET 9 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY SCALE 1:2
DE APPR.		
DATE	08.01.07	

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ______ Part No. ______ NCR No. ______	**DISPOSITION** Rework ☐ Scrap ☐ Use-as-is ☐ Work Order Update ☐	**AGAINST DEPARTMENT/PROCESS** Skid-tube ☐ Crosstube ☐ Water Jet ☐ Engineering ☐ Machining ☐ Small Fab ☐ Prod. Eng. Coor. ☐ Quality ☐ Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐ Large Fab ☐ Composite ☐ Supplier ☐ ☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ______
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	______	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	______	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	______	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		